

Patient information

My HbA1c and individual care plan Paediatric Team

What is HbA1c and what should it be?

HbA1c is a measure of how much glucose (sugar) is attached to the red blood cells. The more glucose in your blood the higher it will be. It is not the same as the readings you get every day from your finger prick tests. The HbA1c is a reflection of your blood sugar control over the last 2 - 3 months. Your HbA1c should be 48mmol (6.5% or lower).

Why should my HbA1c be less than 48mmol (6.5%)

Your HbA1c will be lower if the majority of your blood sugar readings are in target. Your blood sugar target to achieve this should be 4 - 7.0mmol and no higher than 9mmols after a meal.

Pre-meal 4 - 7.0 mmolPost meal 5 - 9 mmolBefore bed 4 - 7.0 mmolOvernight 4 - 7.0 mmol

Research has shown that a lower HbA1c means better short and long term health. This means that day to day you will feel better, be able to concentrate better, grow better, have more energy and play sports better. In the long term you will be at less risk of developing complications of diabetes in the future.

Today my HbA1c is

Source: Paediatrics Reference No: 6397-2 Issue date: 29/7/22 Review date: 29/7/25


Page: 1 of 2



My individual care plan

HbA1c and risk of complications

This graph shows the risk, compared to the general population of developing eye (retinopathy), kidney (nephropathy) and nerve (neuropathy) problems if your HbA1c runs high for 10 years.



The conversion would be: 6% = 42 mmol/mol 7% = 53 mmol/mol 8% = 64 mmol/mol 9% = 75 mmol/mol 10% = 86 mmol/mol 11% = 97 mmol/mol 12% = 108 mmol/mol

To contact the Transition Team

Telephone: 01284 713612 E-mail: pds@wsh.nhs.uk

Text only (non-urgent): 07826 944 839

Out of hours emergency: 01284 713000 and ask for the children's diabetes team

on call.

© West Suffolk NHS Foundation Trust

Page: 2 of 2